



ABV	ABOVE	MECH	MECHANICAL
AFB	ABOVE FINISHED FLOOR	MFTR	MANUFACTURER
ALT	ALTERNATE	MIN	MINIMUM
BRG	BEARING	MNS	NOT TO SCALE
BSMT	BASEMENT	OA	OVERALL
CANT	CANTILEVER	OC	ON CENTER
CJ	CEILING JOIST	PLFA	POINT LOAD FROM ABOVE
CLG	CEILING	PT	PRESSURE TREATED
CMU	CONCRETE MASONRY UNIT	R	RISER
CO	CASED OPENING	REF	REFRIGERATOR
COL	COLUMN	RFG	ROOFING
CONC	CONCRETE	RO	ROUGH OPENING
CONT	CONTINUOUS	RS	ROOF SUPPORT
D	CLOTHES DRYER	SC	STUD COLUMN
DBL	DOUBLE	SF	SQUARE FOOT (FEET)
DIAM	DIAMETER	SH	SHELF / SHELVES
DJ	DOUBLE JOIST	SHTG	SHEATHING
DN	DOWN	SHW	SHOWER
DP	DEEP	SIM	SIMILAR
DR	DOUBLE RAFTER	SJ	SINGLE JOIST
DSP	DOUBLE STUD POCKET	SP	STUD POCKET
EA	EACH	SPEC'D	SPECIFIED
EE	EACH END	SQ	SQUARE
EW	ELECTRIC WATER HEATER	T	TREAD
EQ	EQUAL	TEMP	TEMPERED GLASS
EX	EXTERIOR	THK	THICKNESS
FAU	FORCED-AIR UNIT	TJ	TRIPLE JOIST
FDN	FOUNDATION	TOC	TOP OF CURB / CONCRETE
FF	FINISHED FLOOR	TR	TRIPLE RAFTER
FLR	FLOOR(ING)	TYP	TYPICAL
FJ	FLOOR JOIST	UNO	UNLESS NOTED OTHERWISE
FP	FIREPLACE	W	CLOTHES WASHER
FTG	FOOTING	WH	WATER HEATER
HB	HOSE BIBB	WWF	WELDED WIRE FABRIC
HDR	HEADER	XJ	EXTRA JOIST
HGR	HANGER		
J	JACK STUD COLUMN		
K	KING STUD COLUMN		
LVL	LAMINATED VENEER LUMBER		
MAX	MAXIMUM		

1. ELOG HOMES DOES NOT PERFORM GENERAL CONTRACTING SERVICES, IT IS THE OWNER'S RESPONSIBILITY WHEN ACTING AS OWN GENERAL CONTRACTOR TO VERIFY ALL DIMENSIONS PRIOR TO CONSTRUCTION. FURTHER MORE, THE OWNER IS ULTIMATELY RESPONSIBLE FOR CONSTRUCTION MEANS, METHODS, AND SAFETY ON SITE. NOTIFY ELOG HOMES IMMEDIATELY IF DISCREPANCIES ON PLAN EXIST.
2. ALL INTERIOR DOORS, FIXTURES, CABINETS, WALL AND FLOOR FINISHES ARE BY OWNER.
3. ALL INTERIOR DOORS ARE FRAMED BY ELOG HOMES TO BE 6'-8" TALL UNLESS NOTED OTHERWISE.
4. ALL INTERIOR DIMENSIONS ARE FROM STUD FACE TO STUD FACE.
5. ALL POSTS ARE DIMENSIONED TO CENTERLINE UNLESS NOTED OTHERWISE.
6. INTERIOR ROUND RAILINGS SHOWING IN THE BASEPLAN ARE SUPPLIED BY ELOG HOMES - INSTALLED BY OWNER. ANY ADDITIONAL RAILING OR WALLS, INCLUDING SURROUNDING OR AT THE BASEMENT STAIR, IS BY OWNER - UNLESS A PURCHASE AMENDMENT HAS BEEN ISSUED FROM ELOG HOMES.
7. ALL EXTERIOR PORCH, AND DECK STAIRS INCLUDING STRINGERS, TREADS, RISERS, AND STAIR RAILINGS ARE TO BE SUPPLIED BY OWNER, U.O.N.
8. DECK AND PORCH FRAMING, FLOORING, AND RAILINGS ARE SUPPLIED BY ELOG HOMES.
9. MAIN HOUSE, DECK, AND PORCH FOUNDATIONS INCLUDING ANCHOR BOLTS ARE BY OWNER.
10. ELEVATIONS DEPICTING GRADING ARE ILLUSTRATIVE ONLY AND DO NOT SHOW FINAL GRADING.
11. ALL TRAPEZOIDAL FIXED GLASS GABLE WINDOWS ABOVE FIRST FLOOR AT GABLE ENDS ARE TO BE SUPPLIED BY OWNER. UNLESS OTHERWISE NOTED.
12. ALL TRAPEZOIDAL FIXED GLASS GABLE WINDOWS SHOULD NEVER BE ORDERED PRIOR TO OPENING BEING FRAMED.
13. ALL LEVEL WINDOWS, DOORS, INTERIOR WALL FRAMING, AND SUPPORT POSTS ARE BY OWNER UNLESS NOTED OTHERWISE. ALL FOUNDATION MATERIALS ARE BY OWNER. SCHEMATIC SUPPORT PLAN IN PLAN SET IS DISPLAYING POINT LOADS THAT NEED SUPPORT, IT IS NOT A REPLACEMENT FOR A FOUNDATION PLAN. CUSTOMER IS RESPONSIBLE FOR FOUNDATION PLAN, FOUNDATION MATERIALS, AND FOUNDATION ENGINEERING.
14. ALL CONTINUOUS RIDGE VENTS TO BE SUPPLIED BY OWNER.
15. HEATED AREA IS CALCULATED FROM THE OUTSIDE EDGE OF THE LOG WALL PERIMETER.
16. INSTALLATION OF DECORATIVE LOG RAFTERS, LOG COLLAR TIES, LOG RIDGES SHOULD BE COORDINATED BY OWNER'S G.C. ELOG HOMES SUPPLIES BUT DOES NOT INSTALL.
17. DECK FLASHING BY OWNER AND SHOULD BE COORDINATED WITH LOCAL MUNICIPALITY'S REQUIREMENTS.
18. ALL FINISH ROOF MATERIALS EXCEPT SYNTHETIC UNDERLAYMENT TO BE SUPPLIED BY OWNER. SYNTHETIC UNDERLAYMENT SUPPLIED BY ELOG HOMES.
19. FIREPLACE, CHIMNEY FRAMING, AND FLUE BY OWNER.
20. ALL GABLE FACIA TO BE 7/4 x 8 EASTERN WHITE PINE. GABLE ENDS ALSO RECEIVE 2X6 1/2" FASCIA.
21. ALL SECOND FLOOR WALLS AND GABLE ENDS RECEIVE MATCHING PROFILE LOG SIDING UNLESS NOTED OTHERWISE.
22. (2) COURSES OF LOG SIDING TO BE USED AS SKIRTING ON ALL FOUNDATIONS EXCEPT ON SLABS. 1X4 P.T. SKIRTING PROVIDED FOR SLABS.
23. ALL FOUNDATION LOADS REQUIRE SPECIAL STRUCTURAL MEMBERS (PSL COLUMNS OR STEEL POSTS) TO SUPPORT ROOF RIDGE MEMBERS, THEN THOSE ARE TO BE SUPPLIED BY OWNER, U.O.N.
24. ROOF AND FLOOR FRAMING PLANS ARE FOR GENERAL INFORMATION ONLY. THE TRUSS MANUFACTURER SHALL PROVIDE A DETAILED LAYOUT FOR TRUSS AND FRAMING MEMBERS.
25. IF ANY CONDITION AT THE SITE BE FOUND TO BE MATERIALLY DIFFERENT FROM THOSE INDICATED IN THE DRAWINGS AND/OR SPECIFICATIONS, OR CONDITIONS OF AN UNUSUAL NATURE ARE DISCLOSED MATERIALLY DIFFERENT FROM THE CONDITIONS USUALLY INHERENT IN THE WORK OF THE CHARACTER SHOWN AND SPECIFIED; CALL IMMEDIATE ATTENTION TO SUCH CONDITIONS BEFORE THEY ARE DISTURBED.
26. ALL SCALE DRAWINGS, USE PRINTED DIMENSIONS ONLY.
27. ALL BASEMENT MATERIALS ARE BY OWNER UNLESS A SIGNED AMENDMENT CALLING FOR SPECIFIC MATERIALS TO BE PROVIDED BY ELOG HOMES HAS BEEN RECEIVED BY ELOG HOMES.
28. FLORIDA HOUSE MUST USE:
1-ANISHA WINDOWS/DOORS FL CODE #12496-R5
ALL WOOD CONNECTORS ARE FL CODE #38731.1.5 EXCEPT FOR THE FOLLOWING:
1-1/4" ROOFING NAILS FL CODE #38089, ALL JOIST HANGERS FL CODE #13872.
29. STAIRS IN PLANS DEPICT CONSTRUCTION STAIR ONLY.
30. BASEMENT WINDOWS TO BE PRICED FOR OWNER TO APPROVE.
31. PLANS, ELEVATIONS, ROOF PLANS REPRESENT THE PRELIMINARY ARCHITECTURAL DESIGN.
32. ALL ADDITIVE REVISED BASE MODEL ARE TO BE BY OWNER UNLESS NOTED OTHERWISE AND ACCOMPANIED BY A SIGNED AMENDMENT TO THE ORIGINAL CONTRACT.



1. FIELD VERIFY ALL DIMENSIONS AND MATERIALS. ALL OUTSIDE DIMENSIONS ARE TO FACE OF RIM JOIST.
2. ALL NAILING CONSTRUCTION MATERIALS SHALL BE AS PER 2021 IRC.
3. CONTRACTOR SHALL CALL ATTENTION TO THE OWNER ANY DISCREPANCIES IN DRAWINGS AND / OR SPECIFICATIONS AND SHALL RECEIVE PROPER INSTRUCTIONS BEFORE PROCEEDING WITH THE PORTION OF THE WORK IN QUESTION.
4. ROOF AND FLOOR FRAMING PLANS ARE FOR GENERAL INFORMATION ONLY. THE TRUSS MANUFACTURER SHALL PROVIDE A DETAILED LAYOUT FOR TRUSS AND FRAMING MEMBERS.
5. SHOULD CONDITIONS AT THE SITE BE FOUND TO BE MATERIALLY DIFFERENT FROM THOSE INDICATED IN THE DRAWINGS AND / OR SPECIFICATIONS, OR CONDITIONS OF AN UNUSUAL NATURE ARE DISCLOSED MATERIALLY DIFFERENT FROM THE CONDITIONS USUALLY INHERENT IN THE WORK OF THE CHARACTER SHOWN AND SPECIFIED: CALL IMMEDIATE ATTENTION TO SUCH CONDITIONS BEFORE THEY ARE DISTURBED.
6. DO NOT SCALE DRAWINGS. USE PRINTED DIMENSIONS ONLY.
7. DUE TO THE AVAILABILITY OF MATERIALS, ELOG HOMES RESERVES THE RIGHT TO SUBSTITUTE MATERIAL SHOWN ON PLANS FOR A COMMENSURATE MATERIAL WHICH IS IN COMPLIANCE WITH ALL APPLICABLE BUILDING CODE REQUIREMENTS.
8. THESE DETAIL SHEETS CONTAIN INFORMATION WHICH IS IMPERATIVE TO THE PROPER AND TIMELY CONSTRUCTION OF YOUR HOUSE.
9. STANDARD MEANS AND METHODS OF CONSTRUCTION SHOULD BE INCORPORATED INTO ALL WORK WITH SPECIAL ATTENTION GIVEN TO SAFETY.

4LOGHOMES.COM DOES NOT CLAIM ANY RESPONSIBILITY FOR THE COMPLIANCE OF THESE PLANS TO ANY OF THE ESTABLISHED STATE OR NATIONAL BUILDING CODES. DUE TO THE SPECIFIC REQUIREMENTS THAT THESE CODES OR ANY OTHER COVENANTS MAY IMPOSE FOR YOUR BUILD AREA, IT IS THE RESPONSIBILITY OF THE CUSTOMER TO HAVE THESE PLANS APPROVED BY A LICENSED STRUCTURAL ENGINEER AND A LICENSED INSPECTOR. THE WRITTEN DIMENSIONS SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS. OWNER TO VERIFY ALL DIMENSIONS PRIOR TO CONSTRUCTION. THESE PLANS ARE THE PROPERTY OF 4LOGHOMES, AND 4LOGHOMES RESERVES THE RIGHT TO USE THESE PLANS FOR ITS OWN PURPOSE.




DATE: 3/10/2025
DRAWN BY: A MANUEL
CUST. ID #: 120628447
MODEL NAME: QS-ASHLAND
DELIVERY MONTH: MAR 25
PACKAGE: GOLD
CODE REF: 2018 IRC
FOUNDATION: BASEMENT


[illegible]

GN1.0

NOTES:
ELEVATIONS ARE PICTORIAL ONLY.
FINAL GRADES TO BE DETERMINED
BY OWNER. ELOG HOMES ARE NOT
RESPONSIBLE FOR DESIGN OF
BASEMENT WALLS.




FRONT ELEVATION
SCALE: 1/4" = 1'-0"




RIGHT ELEVATION
SCALE: 1/4" = 1'-0"

ELOGHOMES.COM DOES NOT CARRY ANY RESPONSIBILITY FOR THE COMPLIANCE OF THESE PLANS TO ANY OF THE ESTABLISHED STATE OR NATIONAL BUILDING CODES. DUE TO THE SPECIFIC REQUIREMENTS THAT THESE CODES OR ANY OTHER COVENANCES MAY IMPOSE FOR YOUR BUILD AREA, IT IS THE RESPONSIBILITY OF THE CUSTOMER TO HAVE THESE PLANS APPROVED BY A LICENSED STRUCTURAL ENGINEER AND A LICENSED INSPECTOR. THE WRITTEN DIMENSIONS SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS. OWNER TO VERIFY ALL DIMENSIONS PRIOR TO CONSTRUCTION. THESE PLANS ARE THE PROPERTY OF ELOGHOMES, AND ELOGHOMES RESERVES THE RIGHT TO USE THESE PLANS FOR ITS OWN PURPOSE.



LOG PROFILE



NOTCH & PASS

DATE: 3/10/2025
DRAWN BY: A MANUEL
CUST. ID #: 120628447
MODEL NAME: QS-ASHLAND
DELIVERY MONTH: MAR 25
PACKAGE: GOLD
CODE REF: 2018 IRC
FOUNDATION: BASEMENT

REVISIONS:	
BY	DATE

ELEVATIONS

B1.0

ELEVATIONS ARE PICTORIAL ONLY.
FINAL GRADES TO BE DETERMINED
BY OWNER. ELOG HOMES ARE NOT
RESPONSIBLE FOR DESIGN OF
BASEMENT WALLS.



SCALE: 1/4" = 1'-0"



SCALE: 1/4" = 1'-0"



INSIDE

OUTSIDE

8/8 CLASSIC D

DATE:	3/10/2025
DRAWN BY:	A MANUEL
CUST. ID #:	120628447
MODEL NAME:	QS-ASHLAND
DELIVERY MONTH:	MAR 25
PACKAGE:	GOLD
CODE REF:	2018 IRC
FOUNDATION:	BASEMENT

ELEVATIONS

B1.1


NOT FOR CONSTRUCTION

THIS SUPPORT LAYOUT HAS NOT BEEN REVIEWED
BY A LICENSED STRUCTURAL ENGINEER. CUSTOMER
IS RESPONSIBLE FOR OBTAINING SEALED FOUNDATION
SHEET. THIS DRAWING IS NOT TO BE USED FOR
CONSTRUCTION. FOOTING SIZES AND LOCATIONS,
REINFORCING STEEL SIZES, DIMENSIONS AND LOCATIONS
ARE TO BE VERIFIED BY STRUCTURAL ENGINEER. HOME
OWNER ASSUMES ALL LIABILITY FOR FOUNDATION DESIGN.

WALL LEGEND

	= LOAD BEARING
	= STUD WALL
	= LOG WALL
SC	= STUD COLUMN
	= CMU WALL
	= DROPPED BEAM VISIBLE IN ROOM
	= BY CUSTOMER

WHEN INSTALLING AN OUTSWING DOOR, BE SURE TO INSTALL ABOVE FINISHED FLOOR HEIGHT.




WINDOW WELLS WHERE
REQUIRED DESIGNED
OTHERS BY OWNER

BASEMENT FLOOR PLAN

SCALE: 1/4" = 1'-0"

4LOGHOMES.COM DOES NOT CLAIM ANY RESPONSIBILITY FOR THE COMPLIANCE OF THESE PLANS TO ANY OF THE ESTABLISHED STATE OR NATIONAL BUILDING CODES. DUE TO THE SPECIFIC REQUIREMENTS THAT THESE CODES OR ANY OTHER COVENANTS MAY IMPOSE FOR YOUR BUILD AREA, IT IS THE RESPONSIBILITY OF THE CUSTOMER TO HAVE THESE PLANS APPROVED BY A LICENSED STRUCTURAL ENGINEER AND A LICENSED INSPECTOR. THE WRITTEN DIMENSIONS SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS. OWNER TO VERIFY ALL DIMENSIONS PRIOR TO CONSTRUCTION. THESE PLANS ARE THE PROPERTY OF 4LOGHOMES, AND 4LOGHOMES RESERVES THE RIGHT TO USE THESE PLANS FOR ITS OWN PURPOSE.



LOG PROFILE

8/8 CLASSIC D

NOTCH & PASS

DATE:	3/10/2025
DRAWN BY:	A MANUEL
CUST. ID #:	120628447
MODEL NAME:	QS-ASHLAND
DELIVERY MONTH:	MAR 25
PACKAGE:	GOLD
CODE REF:	2018 IRC
FOUNDATION:	BASEMENT

[illegible]

BASEMENT FLOOR PLAN

B2.0

SEE DETAIL ① ON D 1.2 FOR WINDOW INSTALLATION IN LOG WALLS
SEE DETAILS ② THRU ⑪ ON D1.2 FOR LOG WALL AND CONNECTION
DETAILS
SEE DETAIL ① AND ② ON D1.1 FOR SUPPORT BRACE CONNECTION

WALL LEGEND:

= LOAD BEARING

= STUD WALL

= LOG WALL

SC


= STUD COLUMN

= CMU WALL

= DROPPED BEAM VISIBLE IN ROOM

= BY CUSTOMER


WHEN INSTALLING AN OUTSING DOOR, BE SURE TO INSTALL ABOVE FINISHED FLOOR HEIGHT.



FIRST FLOOR PLAN
SCALE: 1/4" = 1'-0"

NOTE:
IT IS BUYERS RESPONSIBILITY TO ENSURE THAT
ITEMS SPECIFIED AS PROVIDED BY OWNER, ARE ON
SITE IN ADVANCE OF APPLICABLE CONSTRUCTION
STAGES.


SQ. FOOTAGE	
FIRST FLOOR HEATED	1368 SQ.FT.
SECOND FLOOR HEATED	668 SQ.FT.
DECK	932 SQ.FT.
PORCH	88 SQ.FT.
TOTAL	3108 SQ.FT.



ANDERSEN 400 SERIES

WINDOW/DOOR SCHEDULE			
WINDOW			
MODEL	UNITS	ROUGH OPENING	COMMENTS
1832	2	1'-10 1/8" X 3'-4 7/8"	DOUBLE HUNG WINDOW
30210	1	3'-2 1/8" X 3'-0 7/8"	DOUBLE HUNG WINDOW
3032T	2	3'-2 1/8" X 3'-4 7/8"	SINGLE HUNG WINDOW, TEMPERED
3046	6	3'-2 1/8" X 4'-0 7/8"	DOUBLE HUNG WINDOW
3046-2	3	6'-3 7/8" X 4'-0 7/8"	TWIN DOUBLE HUNG WINDOW
3068 FIXED	2	3'-1" X 6'-11"	FIXED GLASS DOOR
6068 FIXED	1	6'-0" X 6'-11"	DOUBLE FIXED GLASS DOOR
DOOR			
MODEL	UNITS	ROUGH OPENING	COMMENTS
3068 2P	2	3'-2" X 6'-10 1/2"	2 PANEL DOOR
6068 DF	1	6'-0" X 6'-11"	DOUBLE FRENCH DOOR
6068 SWINGER	2	6'-0" X 6'-11"	SWINGER DOOR
6068 SLIDER	1	6'-0" X 6'-11"	SLIDING DOOR

ALOGHOMES.COM DOES NOT CARRY ANY RESPONSIBILITY FOR THE COMPLIANCE OF THESE PLANS TO ANY OF THE ESTABLISHED STATE OR NATIONAL BUILDING CODES. DUE TO THE SPECIFIC REQUIREMENTS THAT THESE CODES OR ANY OTHER COVENANCES MAY IMPOSE FOR YOUR BUILD AREA, IT IS THE RESPONSIBILITY OF THE CUSTOMER TO HAVE THESE PLANS APPROVED BY A LICENSED STRUCTURAL ENGINEER AND A LICENSED INSPECTOR. THE WRITTEN DIMENSIONS SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS. OWNER TO VERIFY ALL DIMENSIONS PRIOR TO CONSTRUCTION. THESE PLANS ARE THE PROPERTY OF ALOGHOMES, AND ALOGHOMES RESERVES THE RIGHT TO USE THESE PLANS FOR ITS OWN PURPOSE.



LOG PROFILE



NOTCH & PASS

DATE: 3/10/2025
DRAWN BY: A MANUEL
CUST. ID #: 120628447
MODEL NAME: QS-ASHLAND
DELIVERY MONTH: MAR 25
PACKAGE: GOLD
CODE REF: 2018 IRC
FOUNDATION: BASEMENT

REVISIONS:	
BY	DATE

FIRST FLOOR PLAN

B2.1

SEE DETAILS 12 THRU 18 ON D1.2 FOR EXTERIOR WALL CONSTRUCTION
SEE DETAIL 1 AND 2 ON D1.1 FOR SUPPORT BRACE CONNECTION


WALL LEGEND:

= LOAD BEARING

= STUD WALL

SC


WHEN INSTALLING AN OUTSUNG DOOR, BE SURE TO INSTALL ABOVE FINISHED FLOOR HEIGHT.



SECOND FLOOR PLAN
SCALE: 1/4" = 1'-0"

NOTE:
IT IS BUYER'S RESPONSIBILITY TO ENSURE THAT ITEMS SPECIFIED AS PROVIDED BY OWNER, ARE ON SITE IN ADVANCE OF APPLICABLE CONSTRUCTION STAGES.

ALOGHOMES.COM DOES NOT CARRY ANY RESPONSIBILITY FOR THE COMPLIANCE OF THESE PLANS TO ANY OF THE ESTABLISHED STATE OR NATIONAL BUILDING CODES. DUE TO THE SPECIFIC REQUIREMENTS THAT THESE CODES OR ANY OTHER COVENANCES MAY IMPOSE FOR YOUR BUILD AREA, IT IS THE RESPONSIBILITY OF THE CUSTOMER TO HAVE THESE PLANS APPROVED BY A LICENSED STRUCTURAL ENGINEER AND A LICENSED INSPECTOR. THE WRITTEN DIMENSIONS SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS. OWNER TO VERIFY ALL DIMENSIONS PRIOR TO CONSTRUCTION. THESE PLANS ARE THE PROPERTY OF ALOGHOMES, AND ALOGHOMES RESERVES THE RIGHT TO USE THESE PLANS FOR ITS OWN PURPOSE.



LOG PROFILE




NOTCH & PASS

DATE: 3/10/2025
DRAWN BY: A MANUEL
CUST. ID #: 120628447
MODEL NAME: QS-ASHLAND
DELIVERY MONTH: MAR 25
PACKAGE: GOLD
CODE REF: 2018 IRC
FOUNDATION: BASEMENT

REVISIONS:	
BY	DATE


SECOND FLOOR PLAN

B2.2



ROOF PLAN - GOLD PACKAGE
SCALE: 1/4" = 1'-0"

ALOHOMES.COM DOES NOT CLAIM ANY RESPONSIBILITY FOR THE COMPLIANCE OF THESE PLANS TO ANY OF THE ESTABLISHED STATE OR NATIONAL BUILDING CODES. DUE TO THE SPECIFIC REQUIREMENTS THAT THESE CODES OR ANY OTHER COVENANCES MAY IMPOSE FOR YOUR BUILD AREA, IT IS THE RESPONSIBILITY OF THE CUSTOMER TO HAVE THESE PLANS APPROVED BY A LICENSED STRUCTURAL ENGINEER AND A LICENSED INSPECTOR. THE WRITTEN DIMENSIONS SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS. OWNER TO VERIFY ALL DIMENSIONS PRIOR TO CONSTRUCTION. THESE PLANS ARE THE PROPERTY OF ALOHOMES, AND ALOHOMES RESERVES THE RIGHT TO USE THESE PLANS FOR ITS OWN PURPOSE.



LOG PROFILE



NOTCH & PASS

DATE: 3/10/2025
DRAWN BY: A MANUEL
CUST. ID #: 120628447
MODEL NAME: QS-ASHLAND
DELIVERY MONTH: MAR 25
PACKAGE: GOLD
CODE REF: 2018 IRC
FOUNDATION: BASEMENT

REVISIONS:	
BY	DATE

ROOF PLAN

B3.0